NEWTECH™ MEDICAL DEVICES

From Indigenous Ideas to Newtech Solutions

ClearCVC™

Central Venous Catheter & Kit



Newtech Medical Devices Pvt. Ltd.

We develop, manufacture, market and support cutting edge vascular access devices and accessories to meet the clinical needs of the medical industry, particularly in the field of interventional cardiology and dialysis. Our company's engineering and applications expertise provides superior products whose progressive designs accommodate advances in medical device and whose quality anticipates the requirements of our professional clients and the patients they serve.

Currently one of the largest manufacturer, exporter & importer in the field of Cardiology, Nephrology, Urology & Surgical Disposables in INDIA.

Central Venous Catheter & Kit

Carefully & geometrically designed soft and conical tip of catheter ensures safe and easy insertion offering good tissue and blood tolerance thus reducing the risk of blood clotting & intra vascular pain. Exceptionally biocompatible PU material which by property is stiff & non-kinking at room temperature but softens at body temperature thus ensures correct placement of catheter. Soft & flexible tip of guidewire with excellent stiffness offers good torque which helps in easy insertion and prevents vessel perforation. Clear and transparent radio-opaque material of extention with definite marking and color coding ensures accurate positioning and minimum vessel damage.

Per Box

CVC DOUBLE LUMEN KIT 1 Pcs

Document No: NTM/VC/01
Revision No - 00

Central Venous Catheter & Kit

Product Feature:

Soft Tip

Newtech ClearCVC catheter has been able to Reduce trauma to vessel wall upon introduction and in-situ. The radiopaque catheter and tip facilitates vessel location when visualized by X-Ray.

Soft Hub

ClearCVC comes with softer hub for better placement of catheter without any pain.

Antimicrobial Heparin Cap

Specially made adaptor helps to avoid infection.

Biocompatible Polyurethane Material

With new generation Biocompatible polyurethane material which is tested for toxicity and hemocompatability and this become softer in body.



Multi-Lumen Available

Newtech's Central venous catheter is available in single, double, triple lumen for infants and adults.

Specifications:

REF	Lumen	Size	Length	Inner Diameter	Guidewire	Intro. Needle	Dialator
NT/CVCK/SL/1415	Single	14Ga	15 cm	14G	0.032" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/SL/1416	Single	14Ga	16 cm	14G	0.032" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/SL/1420	Single	14Ga	20 cm	14G	0.032" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/SL/1608	Single	16Ga	08 cm	16G	0.032" X 60 cm	18Ga	6.5 Fr x 10cm
NT/CVCK/SL/1613	Single	16Ga	13 cm	16G	0.032" X 60 cm	18Ga	6.5 Fr x 10cm
NT/CVCK/SL/1615	Single	16Ga	15 cm	16G	0.032" X 60 cm	18Ga	6.5 Fr x 10cm
NT/CVCK/SL/1616	Single	16Ga	16 cm	16G	0.032" X 60 cm	18Ga	6.5 Fr x 10cm
NT/CVCK/SL/1620	Single	16Ga	20 cm	16G	0.032" X 60 cm	18Ga	6.5 Fr x 10cm
NT/CVCK/SL/1630	Single	16Ga	30 cm	16G	0.032" X 60 cm	18Ga	6.5 Fr x 10cm
NT/CVCK/SL/1808	Single	18Ga	08 cm	18G	0.025" X 60 cm	18Ga	5.5 Fr x 06cm
NT/CVCK/SL/1816	Single	18Ga	16 cm	18G	0.025" X 60 cm	18Ga	5.5 Fr x 06cm
NT/CVCK/SL/1820	Single	18Ga	20 cm	18G	0.025" X 60 cm	18Ga	5.5 Fr x 06cm
NT/CVCK/SL/2013	Single	20Ga	13 cm	20G	0.021" X 60 cm	20Ga	4.0 Fr x 05cm
NT/CVCK/SL/2016	Single	20Ga	16 cm	20G	0.021" X 60 cm	20Ga	4.0 Fr x 05cm
NT/CVCK/SL/2208	Single	22Ga	08 cm	22G	0.018" X 50 cm	20Ga	4.0 Fr x 05cm
NT/CVCK/SL/2216	Single	22Ga	16 cm	22G	0.018" X 50 cm	20Ga	4.0 Fr x 05cm
NT/CVCK/DL/4005	Double	04Fr.	05 cm	22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/DL/4008	Double	04Fr.	08 cm	22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/DL/4013	Double	04Fr.	13 cm	22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/DL/4016	Double	04Fr.	16 cm	22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/DL/4020	Double	04Fr.	20 cm	22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/DL/4505	Double	4.5Fr.	05 cm	22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/DL/4508	Double	4.5Fr.	08 cm	22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/DL/4513	Double	4.5Fr.	13 cm	22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/DL/4516	Double	4.5Fr.	16 cm	22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/DL/4520	Double	4.5Fr.	20 cm	22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/DL/5005	Double	05Fr.	05 cm	18G X 20G	0.021" X 60 cm	20Ga	6.0 Fr x 07cm
NT/CVCK/DL/5008	Double	05Fr.	08 cm	18G X 20G	0.021" X 60 cm	20Ga	6.0 Fr x 07cm
NT/CVCK/DL/5013	Double	05Fr.	13 cm	18G X 20G	0.021" X 60 cm	20Ga	6.0 Fr x 07cm
NT/CVCK/DL/5016	Double	05Fr.	16 cm	18G X 20G	0.021" X 60 cm	20Ga	6.0 Fr x 07cm
NT/CVCK/DL/5020	Double	05Fr.	20 cm	18G X 20G	0.021" X 60 cm	20Ga	6.0 Fr x 07cm
NT/CVCK/DL/7013	Double	07Fr.	13 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7015	Double	07Fr.	15 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7016	Double	07Fr.	16 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7020	Double	07Fr.	20 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7025	Double	07Fr.	25 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7030	Double	07Fr.	30 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7513	Double	7.5Fr.	13 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7515	Double	7.5Fr.	15 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7516	Double	7.5Fr.	16 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7520	Double	7.5Fr.	20 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7525	Double	7.5Fr.	25 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/DL/7530	Double	7.5Fr.	30 cm	14G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/4005	Triple	4.0Fr.	05 cm	20G X 23G X 23G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/4008	Triple	4.0Fr	08 cm	20G X 23G X 23G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/4013	Triple	4.0Fr.	13 cm	20G X 23G X 23G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/4016	Triple	4.0Fr.	16 cm	20G X 23G X 23G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/4020	Triple	4.0Fr.	20 cm	20G X 23G X 23G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/4505	Triple	4.5Fr.	05 cm	20G X 23G X 23G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/4508	Triple	4.5Fr	08 cm	20G X 23G X 23G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/4513	Triple	4.5Fr.	13 cm	20G X 23G X 23G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/4516	Triple	4.5Fr.	16 cm	20G X 23G X 23G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/4520	Triple	4.5Fr.	20 cm	20G X 23G X 23G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/5005	Triple	5.0Fr.	05 cm	20G X 22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/5008	Triple	5.0Fr.	08 cm	20G X 22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/5013	Triple	5.0Fr.	13 cm	20G X 22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/5016	Triple	5.0Fr.	16 cm	20G X 22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/5020	Triple	5.0Fr.	20 cm	20G X 22G X 22G	0.018" X 50 cm	20Ga	5.5 Fr x 06cm
NT/CVCK/TL/5505	Triple	5.5Fr.	05 cm	20G X 22G X 22G	0.021" X 60 cm	20Ga	6.0 Fr x 10cm
NT/CVCK/TL/5508	Triple	5.5Fr.	08 cm	20G X 22G X 22G	0.021" X 60 cm	20Ga	6.0 Fr x 10cm
NT/CVCK/TL/5513	Triple	5.5Fr.	13 cm	20G X 22G X 22G	0.021" X 60 cm	20Ga	6.0 Fr x 10cm
NT/CVCK/TL/5516	Triple	5.5Fr.	16 cm	20G X 22G X 22G	0.021" X 60 cm	20Ga	6.0 Fr x 10cm
NT/CVCK/TL/5520	Triple	5.5Fr.	20 cm	20G X 22G X 22G	0.021" X 60 cm	20Ga	6.0 Fr x 10cm
NT/CVCK/TL/0713	Triple	07Fr.	13 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/0715	Triple	07Fr.	15 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/0716	Triple	07Fr.	16 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/0720	Triple	07Fr.	20 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/0725	Triple	07Fr.	25 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/0730	Triple	07Fr.	30 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/7513	Triple	7.5Fr.	13 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/7515	Triple	7.5Fr.	15 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/7516	Triple	7.5Fr.	16 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/7520	Triple	7.5Fr.	20 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/7525	Triple	7.5Fr.	25 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm
NT/CVCK/TL/7530	Triple	7.5Fr.	30 cm	16G X 18G X 18G	0.035" X 60 cm	18Ga	8.5 Fr x 10cm

No Star - No Sampling, Check Availability before confirming order of Non Running products.
* No Sampling Available, Check Availability of Running Products.
** Sampling Available, No need to check availability of highly moving products, Easily Available

NEWTECH™ MEDICAL DEVICES

From Indigenous Ideas to Newtech Solutions

ClearSlit™

Electrosurgical (ESU) Pencil

Light Weight

Hand Controlled Pencil

REF	Particular
NT/HCP/01	Standard Size Blue
NT/HCP/01T	Standard Size Blue with Tip Cleaner
NT/HCP/02	Standard Size White
NT/HCP/02T	Standard Size White with Tip Cleaner
NT/HCP/03	Standard Size Blue PTFE Coated
NT/HCP/03T	Standard Size Blue with Tip Cleaner PTFE Coated
NT/HCP/04	Standard Size White PTFE Coated
NT/HCP/04T	Standard Size White with Tip Cleaner PTFE Coated

Newtech Medical Devices Pvt. Ltd.

We develop, manufacture, market and support cutting edge vascular access devices and accessories to meet the clinical needs of the medical industry, particularly in the field of interventional cardiology and dialysis. Our company's engineering and applications expertise provides superior products whose progressive designs accommodate advances in medical device and whose quality anticipates the requirements of our professional clients and the patients they serve.

Currently one of the largest manufacturer, exporter & importer in the field of Cardiology, Nephrology, Urology & Surgical Disposables in INDIA.

Electrosurgical (ESU) Pencil

ClearSlit is an electrosurgical device for conducting enhanced electro surgery procedures. This device is designed as pencil for easy and efficient usage. The cable (3m) is made of PVC in blue color with white pencil. The tip is made of stainless steel (4cm x 2.3mm). The maximum current output is 1A with 0-1.0MHZ frequency.

Features

- Light weight.
- Streamlined.
- Anti-slippery surface.
- PVC medical cable - 3m
- Stainless Steel tip - 4 cm
- Diameter of the tip - 2.3mm
- Appropriate switch sensitivity

Per Box

HAND CONTROL PENCIL BLUE 40 Pcs

- Maximal output current: - 1A
- Frequency confine: 0-1.0MHZ
- Current resistance: 200 (Ohms)
- 170mm-ABS pencil appearance
- Ways of aseptic technique: Sterile EO
- Clear & appropriate switch position, with gentle “click”

Document No: NTM/BR/01
Revision No - 00

NEWTECH™ MEDICAL DEVICES

From Indigenous Ideas to Newtech Solutions

Other Components

Needle Square Hub

3 Way Stopcock

Catheter Fixing wing

Needle Round Hub

Dispenser Pusher

Catheter Fixing wing

Needle Y Shape Hub

Dispenser Tip

Catheter Clamp

Scalpel Blade 11

Tip Cover

Pressure Monitoring Line Female Connector

Scalpel Blade Hub

Dispenser's Dual Grip

Pressure Monitoring Line Male Connector

Scalpel Blade Cover

Clipless Dispenser

Thread Cap

Pinching Clamp



Dispenser's Triple Grip

Needle Cannula Cover

Dilator Hub

Torque Device

Guidewire Holder

Dilator

NEWTECH™ MEDICAL DEVICES

From Indigenous Idea to Newtech Solution

ESU Pencil Holster

HIGH QUALITY MEDICAL DEVICES

Newtech Medical Devices

We develop, manufacture, market and support cutting edge vascular access devices and accessories to meet the clinical needs of the medical industry, particularly in the field of interventional cardiology and dialysis. Our company's engineering and applications expertise provides superior products whose progressive designs accommodate advances in medical device and whose quality anticipates the requirements of our professional clients and the patients they serve.

Currently one of the largest manufacturer, exporter & importer in the field of Cardiology, Nephrology, Urology & Surgical Disposables in INDIA.

ESU Pencil Holster - Introduction

Newtech's ESU pencil holster provides the surgeon with a safer and time-saving option. The patented cleaning edge design inside the holster allows surgeons to wipe off carbonized tissue sticking on the tip electrode, reducing surgical time.

According to U.S. AORN and ECRI's recommended practices for electrosurgery, a well-insulated safety holster shall be used to store the active electrode, preventing surgical fire or electrosurgical burn. Always place unused ESU active tip electrodes in a safety holster.

ESU PENCIL HOLSTER

Specification:

Usage: Electrosurgical safety holster is used for placement of pencils when not in use

Advantage: With large clip for easy attachment to drape or stand

Size: 50×25×190mm

Product Description:

Model No.	ESU-PH
Color	Transparent
Transport Package	Sterile or in Bulk

Newtech Medical Devices
14/5, Mathura Road, Pocket B, Sector 27,
Faridabad, Haryana -121003, INDIA
Tel +91 129 225 9961
+91 129 225 9962
Mail ID info@ntmdevices.com
Website www.ntmdevices.com

Our Distributor :

NEWTECH™ MEDICAL DEVICES

From Indigenous Idea to Newtech Solution

ClearFold™

Three Way Stop Cock

HIGH QUALITY MEDICAL DEVICES

REF NO.	NT/TWSC/1M2F

Newtech Medical Devices Pvt. Ltd.

We develop, manufacture, market and support cutting edge vascular access devices and accessories to meet the clinical needs of the medical industry, particularly in the field of interventional cardiology and dialysis. Our company's engineering and applications expertise provides superior products whose progressive designs accommodate advances in medical device and whose quality anticipates the requirements of our professional clients and the patients they serve.

Currently one of the largest manufacturer & importer in the field of Cardiology, Nephrology & Surgical Disposables in INDIA.

Three Way Stop Cock - Introduction

- Three way stop cock one end male and two end female connector.
- A body molded in a lipid-resistant raw material (polycarbonate) and transparent to detect air bubbles to facilitate the priming of the device.

Newtech Medical Devices Pvt. Ltd.
14/5, Mathura Road, Pocket B, Sector 27,
Faridabad, Haryana -121003, INDIA
Tel +91 129 225 9961
+91 129 225 9962
Mail ID info@ntmdevices.com
Website www.ntmdevices.com

Our Distributor :

Document No: NTM/UC/01
Revision No - 00